=> d his

(FILE 'HOME' ENTERED AT 17:19:34 ON 25 FEB 2004)

FILE 'REGISTRY' ENTERED AT 17:19:42 ON 25 FEB 2004

L1 STRUCTURE UPLOADED

L2 0 S L1

L3 0 S L1 FULL

=> d que 13 stat

L1 STR

Μ

Structure attributes must be viewed using STN Express query preparation. L3  $\,$  0 SEA FILE=REGISTRY SSS FUL L1  $\,$ 

100.0% PROCESSED

63 ITERATIONS

0 ANSWERS

SEARCH TIME: 00.00.01

=> => d que 110 stat L8 STR

Structure attributes must be viewed using STN Express query preparation. L10  $\,$  5 SEA FILE=REGISTRY SSS FUL L8  $\,$ 

100.0% PROCESSED 63 ITERATIONS

SEARCH TIME: 00.00.01

5 ANSWERS

=> d 1-5 ide can

L10 ANSWER 1 OF 5 REGISTRY COPYRIGHT 2004 ACS on STN

RN 384818-50-2 REGISTRY

CN Benzoic acid. 2.2'-[1.4-phenylenebis[imino(1-acetyl-2-oxo-2.1-ethanediyl)azo]]bis-, calcium salt (1:1) (9CI) (CA INDEX NAME)

MF C28 H24 N6 O8 . Ca

SR CAS Client Services

CRN (156564-68-0)

● Ca

L10 ANSWER 2 OF 5 REGISTRY COPYRIGHT 2004 ACS on STN

RN 359688-15-6 REGISTRY

CN 1.4-Benzenedicarboxylic acid. 2.2'-[1.4-phenylenebis[imino(1-acetyl-2-oxo-2.1-ethanediyl)azo]]bis-. tetrasodium salt (9CI) (CA INDEX NAME)

MF C30 H24 N6 O12 . 4 Na

SR CA

LC STN Files: CA, CAPLUS

•4 Na

1 REFERENCES IN FILE CA (1907 TO DATE)

1 REFERENCES IN FILE CAPLUS (1907 TO DATE)

REFERENCE 1: 135:228321

L10 ANSWER 3 OF 5 REGISTRY COPYRIGHT 2004 ACS on STN

RN 156564-68-0 REGISTRY

CN Benzoic acid, 2,2'-[1,4-phenylenebis[imino(1-acetyl-2-oxo-2,1-ethanediyl)azo]]bis- (9CI) (CA INDEX NAME)

FS 3D CONCORD

MF C28 H24 N6 08

CI COM

SR CA

LC STN Files: CA, CAPLUS, USPATFULL

\*\*PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT\*\*

1 REFERENCES IN FILE CA (1907 TO DATE)

1 REFERENCES IN FILE CAPLUS (1907 TO DATE)

REFERENCE 1: 121:111471

L10 ANSWER 4 OF 5 REGISTRY COPYRIGHT 2004 ACS on STN

RN 91991-64-9 REGISTRY

CN Benzoic acid. 2.2'-[(2-chloro-1.4-phenylene)bis[imino(1-acetyl-2-oxo-2.1-ethanediyl)azo]]bis[4-chloro- (9CI) (CA INDEX NAME)

FS 3D CONCORD

MF C28 H21 C13 N6 O8

LC STN Files: CA. CAPLUS

\*\*PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT\*\*

1 REFERENCES IN FILE CA (1907 TO DATE)

1 REFERENCES IN FILE CAPLUS (1907 TO DATE)

REFERENCE 1: 101:132460

L10 ANSWER 5 OF 5 REGISTRY COPYRIGHT 2004 ACS on STN

RN 57532-26-0 REGISTRY

CN 1.2-Benzenedicarboxylic acid, 3.3'-[(2.5-dichloro-1.4-phenylene)bis[imino(1-acetyl-2-oxo-2.1-ethanediyl)azo]]bis- (9CI) (CA INDEX NAME)

FS 3D CONCORD

MF C30 H22 C12 N6 012

LC STN·Files: BEILSTEIN\*, CA. CAPLUS, CHEMLIST, IFICDB, IFIPAT, IFIUDB, USPATFULL

(\*File contains numerically searchable property data)

Other Sources: EINECS\*\*, NDSL\*\*, TSCA\*\*

(\*\*Enter CHEMLIST File for up-to-date regulatory information)

PAGE 1-A

O C1

N=N-CH-C-NH-C-CH-N=N-C02H

PAGE 1-B

~ CO2H

1 REFERENCES IN FILE CA (1907 TO DATE)

1 REFERENCES IN FILE CAPLUS (1907 TO DATE)

REFERENCE 1: 84:6482

=> fil capl FILE 'CAPLUS' ENTERED AT 17:27:50 ON 25 FEB 2004 USE IS SUBJECT TO THE TERMS OF YOUR STN CUSTOMER AGREEMENT. PLEASE SEE "HELP USAGETERMS" FOR DETAILS. COPYRIGHT (C) 2004 AMERICAN CHEMICAL SOCIETY (ACS)

Copyright of the articles to which records in this database refer is held by the publishers listed in the PUBLISHER (PB) field (available for records published or updated in Chemical Abstracts after December 26, 1996), unless otherwise indicated in the original publications. The CA Lexicon is the copyrighted intellectual property of the American Chemical Society and is provided to assist you in searching databases on STN. Any dissemination, distribution, copying, or storing of this information, without the prior written consent of CAS, is strictly prohibited.

FILE COVERS 1907 - 25 Feb 2004 VOL 140 ISS 9 FILE LAST UPDATED: 24 Feb 2004 (20040224/ED)

This file contains CAS Registry Numbers for easy and accurate substance identification.

'.FIONA' IS DEFAULT FORMAT FOR 'CAPLUS' FILE

=> s 110 L11 4 L10

=> d 1-4 bib abs hitstr

```
L11 ANSWER 1 OF 4 CAPLUS COPYRIGHT 2004 ACS on STN
```

AN 2001:714665 CAPLUS

DN 135:228321

TI Bis-azo compounds and their use in pigment/ink compositions for improved dispersion properties

IN Tirel, Malcolm David; Rose, Peter Edward

PA Ilford Imaging UK Ltd., UK

SO Brit. UK Pat. Appl., 18 pp. CODEN: BAXXDU

DT Patent

LA English

FAN.CNT 1

17/W.CM1 1					
	PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
PΙ	GB 2356866	A1	20010606	GB 1999-28109	19991130
	GB 2356866	B2	20040128		
PRAI	GB 1999-28109		19991130		
0S	MARPAT 135:22832	l			
GI					

MeCOCHCONH NHCOCHCOMe

$$(Z)_p$$

NHCOCHCOMe

 $(X1)_n$ 
 $(Y2)_m$ 
 $(Y2)_m$ 
 $I$ 

AB Bis-azo compds. I were derived from diazotized (carboxy/sulfo)-anilines and 1.4-bis(acetoacetamido)phenylenes. where X1 and X2 = SO3H or COOH or their sodium salts, Z = SO3H, Y1, Y2, and Y1 and Y2 = H, C1-4 alkyl, halogen, OR, COOR (R = C1-4 alkyl) or COOH or salt forms, m = 0-2, n = 1-2 and p = 0-2. These compds. can be used in inks for improving the dispersion properties od aqueous compns. comprising yellow or orange pigments.

IT 359688-15-6P

RL: IMF (Industrial manufacture); TEM (Technical or engineered material use); PREP (Preparation); USES (Uses)

(Bis-azo compds. and their use in pigment-ink compns. for improved dispersion properties)

RN 359688-15-6 CAPLUS

CN 1.4-Benzenedicarboxylic acid, 2.2'-[1.4-phenylenebis[imino(1-acetyl-2-oxo-2.1-ethanediyl)azo]]bis-, tetrasodium salt (9CI) (CA INDEX NAME)

●1 Na

```
L11 ANSWER 2 OF 4 CAPLUS COPYRIGHT 2004 ACS on STN
AN
     1994:511471 CAPLUS
DN
     121:111471
     Preparation and use of disazo pigments
ΤI
ΙN
     Jung, Ruediger; Weide, Joachim; Metz, Hans Joachim
PA
     Hoechst A.-G., Germany
S<sub>0</sub>
     Ger. Offen., 24 pp.
     CODEN: GWXXBX
DT
     Patent.
LA
     German
FAN.CNT 1
     PATENT NO.
                       KIND DATE
                                             APPLICATION NO.
                                                              DATE
     ---------
                       ----
     DE 4229207
                        A1
                             19940303
                                            DE 1992-4229207
                                                              19920902
     DE 4229207
                        C2
                             19981217
     IN 179812
                        Α
                             19971213
                                             IN 1993-CA347
                                                              19930621
     EP 585873
                        Α1
                             19940309
                                            EP 1993-113899
                                                              19930831
     EP 585873
                        В1
                             19971229
         R: BE, CH, DE, DK, ES, FR, GB, IT, LI
     ES 2112937
                       Т3
                             19980416
                                            ES 1993-113899
                                                              19930831
     JP 06166826
                       A2
                             19940614
                                            JP 1993-217717
                                                              19930901
     US 5559216
                       Α
                             19960924
                                            US 1993-115894
                                                              19930901
PRAI DE 1992-4229207
                       Α
                             19920902
     MARPAT 121:111471
GΙ
```

$$\begin{array}{c} \text{N} = \text{NCH(COMe)CONH} \\ & \\ & \\ \text{R2} \end{array} \text{NHCOCH(COMe)N} = \text{NX2}$$

- AB The pigments (I; R1, R2 = H. halogen, C1-4-alkyl, C1-4-alkoxy, alkoxycarbonyl, NO2, CN, OPh, CF3; X1, X2 = optionally substituted Ph, naphthyl, anthraquinonyl, or condensed heterocyclic group) are obtained by aqueous 1-step azo coupling using ≥1 nonionic surfactant (having an aqueous cloud point) before isolation of the pigment and are used for printing inks. I thus obtained have improved coloristic properties. Thus, 4.2-O2N(MeO)C6H3NH2 was diazotized and coupled 2:1 with p-C6H4(NHCOCH2COMe)2 using an ethoxylated, propoxylated C12-15 fatty alc.' to give an orange pigment. The pigment purity was improved by use of the surfactant.
- IT 156564-68-0P

RL: IMF (Industrial manufacture): PREP (Preparation) (preparation of, as yellow pigment for printing inks)

- RN 156564-68-0 CAPLUS
- CN Benzoic acid, 2,2'-[1,4-phenylenebis[imino(1-acety]-2-oxo-2.1-ethanediyl)azo]]bis- (9CI) (CA INDEX NAME)

L11 ANSWER 3 OF 4 CAPLUS COPYRIGHT 2004 ACS on STN

AN 1984:532460 CAPLUS

DN 101:132460

TI Disazo dyes based on aminobenzoic acids and bis(acetoacetamides)

IN Dobrovolny, Jan; Bartosek, Jan; Havlickova, Libuse; Kolonicny, Alois; Panek, Jan; Kvapilova, Lenka; Weisbauer, Vaclav

PA Czech.

SO Czech., 6 pp.

CODEN: CZXXA9

DT Patent

LA Czechi

FAN.CNT 1

17111.0111 1				
PATENT NO.	KIND	DATE:	APPLICATION NO.	DATE
PI CS 208620	В	19810915	CS 1979-8535	19791207
PRAI CS 1979-8535		19791207		
GI				

Pure yellow disazo dyes of general structure [HO2CZN:NCH(COMe)CONH]2Z1 (Z = phenylene optionally substituted by halogen, alkyl, alkoxy, CF3, carbalkoxy, or NO2; Z1 = arylene optionally substituted by 1 or 2 halogen atoms, alkyl, alkoxy, CF3 or CN) are prepared by coupling a diazotized aminobenzoic acid with an aromatic bis(acetoacetamide) (mol. ratio 2:1) in an aqueous suspension or solution at pH 3.5-13 and 0-80°. The components are mixed in various ways depending on pH, and the dye is isolated as the free diacid and/or the di-Na salt. Up to 10% dispersing agents may be added. Thus, a solution of 35.4 g 4.3-Cl(H2N)C6H3CO2H [2840-28-0] was diazotized and added to a suspension of 30.4 g 1.4-bis(acetoacetylamino)-2,5-dimethylbenzene [24304-50-5] (prepared by precipitation of its alkaline enolate with AcOH) at pH 5.2 and 60° to give a paste containing 65.6 g I [74351-78-3].

IT 91991-64-9P

RL: IMF (Industrial manufacture); TEM (Technical or engineered material use); PREP (Preparation); USES (Uses)

(dye, manufacture of)

RN 91991-64-9 CAPLUS

CN Benzoic acid, 2,2'-[(2-chloro-1,4-phenylene)bis[imino(1-acetyl-2-oxo-2,1-ethanediyl)azo]]bis[4-chloro- (9CI) (CA INDEX NAME)

*)* 

.

```
L11 ANSWER 4 OF 4 CAPLUS COPYRIGHT 2004 ACS on STN
```

AN 1976:6482 CAPLUS

DN 84:6482

TI Disazo tetracarboxylic acid dyes

IN Towle, Jack L.

PA Chemetron Corp., USA

SO Ger. Offen., 21 pp.

CODEN: GWXXBX

DT Patent

LA German

FAN CNT 1

I AN . CNT I						
		PATENT NO.	KIND	DATE .	APPLICATION NO.	DATE
	ΡI	DE 2511092	<b>A</b> 1	19751002	DE 1975-2511092	19750313
		US 3951943	Α	19760420	US 1974-451873	19740318
		CH 612210	Α	19790713	CH 1975-2330	19750225
		GB 1497437	Α	19780112	GB 1975-10343	19750312
		JP 50126634	A2	19751004	JP 1975-32131	19750317
		FR 2270239	A1	19751205	FR 1975-8447	19750318
		FR 2270239	B1	19790928		
	PRAI	US 1974-451873		19740318		

GI For diagram(s), see printed CA Issue.

AB Disazotetracarboxylic acids (I, Z = 2.5-dichloro-p-phenylene, 3.3'-dimethyl-4.4'-biphenylene) were prepared in >96% yield by coupling diazotized 2.3-(HO2C)2C6H3NH2 [5434-20-8] with (MeCOCH2CONH)2Z in an aqueous tetrahydrofuran [109-99-9] solution Dehydration of the dicarboxylic acids gave the corresponding anhydrides and treatment with amines gave the corresponding carboximide derivs.

IT 57532-26-0P

RL: IMF (Industrial manufacture); PREP (Preparation) (preparation of)

RN 57532-26-0 CAPLUS

CN 1.2-Benzenedicarboxylic acid, 3.3'-[(2.5-dichloro-1.4-phenylene)bis[imino(1-acetyl-2-oxo-2.1-ethanediyl)azo]]bis- (9CI) (CA INDEX NAME)

PAGE 1-B

-co<sub>2</sub>H

=> log y COST IN U.S. DOLLARS	SINCE FILE	TOTAL
FULL ESTIMATED COST	ENTRY 19.46	SESSION 519.98
DISCOUNT AMOUNTS (FOR QUALIFYING ACCOUNTS)	SINCE FILE	TOTAL
CA SUBSCRIBER PRICE	ENTRY -2.77	SESSION -2.77

STN INTERNATIONAL LOGOFF AT 17:28:21 ON 25 FEB 2004